



Buckling Analysis of Cantilever Nanoactuators Immersed in an Electrolyte: A Close Form Solution Using Duan-Rach Modified Adomian Decomposition Method

Mohammad Ghalambaz¹, Mehdi Ghalambaz², Mohammad Edalatifar³

¹ Department of Mechanical Engineering, Dezful Branch, Islamic Azad University, Dezful, Iran
m.ghalambaz@iaud.ac.ir,

² Department of Mechanical Engineering, Dezful Branch, Islamic Azad University, Dezful, Iran
ghalambaz.mehdi@gmail.com,

³ Department of Electrical Engineering, Dezful Branch, Islamic Azad University, Dezful, Iran
m.edalatifar@gmail.com,

Received March 17 2016; revised May 16 2016; accepted for publication May 18 2016.
Corresponding author: m.ghalambaz@iaud.ac.ir

Abstract

A new modified Adomian Decomposition Method (ADM) is utilized to obtain an analytical solution for buckling of the nanocantilever actuators immersed in liquid electrolytes. The nanoactuators in electrolytes are subject to different nonlinear forces including ionic concentration, van der Waals, external voltage and electrochemical forces. The Duan–Rach modified Adomian decomposition method is utilized to obtain a full explicit solution for the buckling of nanoactuators free of any undetermined coefficients. The results are compared with the results of Wazwas ADM as well as the results of a finite element method available in the literature and found in excellent agreement.

Keywords: Nanoactuator; Duan and Rach ADM; Analytic Solution; Electrolyte.

1. Introduction

The micro/nano beams actuators play a crucial role in micro/nano technology. Nano beam actuators have been increasingly utilized in many different applications. For instance, they have been utilized as sensors for gas detection [1] and force measurement [2]. They have also been utilized as gravimetric sensors [3] and biomolecular fingerprinting sensors [4]. Furthermore, these actuators are good potential candidates for nano-electro-mechanical nonvolatile memories [5] and switches [6].

In biomedical applications, micro/nano cantilever beams actuators are extensively applied as embedded devices or sensors in electrolyte liquids [7-9]. An electrolyte induces nonlinear forces, e.g. ionic and chemical forces, on the actuator; and consequently, the presence of the electrolyte increases the complexity of the nanoactuator deflection behavior. In many applications of nanoactuators, as sensors, the buckling and deflection shape of an actuator beam is very important. In a very recent study, Noghrehabadi et al. [8] have studied the cantilever nanoactuators in liquid electrolytes. They found that the governing differential equation, representing the behavior of the beam subject to the applied forces, is fourth order nonlinear boundary value. Noghrehabadi et al. [8] applied the modified Adomian Decomposition Method (ADM), proposed by Wazwas [10], to obtain an analytical solution for the cantilever beam nanoactuators. The Adomian decomposition method, proposed by Wazwas [10], is naturally an Initial Value (IV) method. As the governing equation of the cantilever beam is a boundary value differential equation, the authors utilized the method of undetermined coefficients to deal with the problem. Hence, they transformed the boundary value differential equation of the nanobeam into an IV differential equation, containing two undetermined initial

values (C_1 and C_2). Therefore, the obtained analytical solution contains unknown constants, which should be evaluated later using the remaining unutilized boundary conditions. However, finding the undetermined coefficients, using the remaining boundary conditions, requires solving a set of highly nonlinear algebraic equations, which demands numerical procedures. Hence, the presence of the undetermined constants in the analytic solution significantly reduces the explicitly of the solution and changes the solution to an implicit solution. In addition, solving a set of highly nonlinear algebraic equations for undetermined coefficients, i.e. C_1 and C_2 , leads to different sets of roots. Finding and choosing the correct set of roots is another problem, which arises with the method of undetermined coefficients. The number of possible roots tediously increases as the size of the Adomian series increases. The Adomian decomposition method with undetermined coefficients has been utilized in many previous studies of fluid mechanics problems [11] as well as nanoactuators [12-17]; hence, the effectiveness of this method has been demonstrated.

Recently, Duan and Rach [18] proposed a new Adomian decomposition method for high-order boundary-value problems. The idea is to utilize all of the boundary conditions to derive an integral equation before establishing the recursion scheme for the solution components. Thus, a modified recursion scheme can be derived without any undetermined coefficients when computing successive solution components. The Duan and Rach ADM can be also applicable for ribbon boundary conditions as discussed by Duan et al. [19].

In the present study, the modified Adomian decomposition method, proposed by Duan and Rach [18], is utilized to obtain an analytical solution for bucking of nano beam actuators immersed in liquid electrolytes. The obtained analytical solution is free of any undetermined coefficients. Hence, it could be directly utilized for further design and measuring applications of nano cantilever actuators.

2. The Mathematical Governing Equation:

Based on the study of Noghrehabadi et al. [8], the governing equation of a nanobeam actuator, immersed in a liquid electrolyte, is written as:

$$\frac{d^4 u}{dx^4} = -\frac{\alpha}{(1+\delta)u^3} + \frac{\beta}{(1+\delta)\sinh^2(\xi_0 u)} \left\{ \frac{\phi_2}{\phi_1} \cosh(\xi_0 u) - \frac{1}{2} \left[1 + \left(\frac{\phi_2}{\phi_1} \right)^2 \right] \right\} \quad (1)$$

where u is the non-dimensional deflection of the beam, and x is the non-dimensional position along the beam measured from the supported end. In Eq. (1), α , β , ϕ_2/ϕ_1 , ξ_0 and δ are non-dimensional parameters, which denote the van der Waals attractions, the electrochemical force, the voltage ratio, the ionic concentration and the size effect, respectively. Parameters of α and δ are related to the nanosize effects. The detailed description of the geometrical and physical parameters is presented in the work of Noghrehabadi et al. [8]. As the beam is cantilever, one end is supported and another one is free (natural). Therefore, the boundary conditions for a cantilever beam are written as [8]:

$$u(0) = 1, u'(0) = 0, u''(1) = u'''(1) = 0 \quad (2)$$

For some nanoactuators, there is a support in the bending side, which acts as a torsional spring. Hence, the boundary conditions at the supported and free ends for a simply supported (SS) nanoactuator can be written as [8]:

$$u(0) = 1, u''(0) = ku'(0), u''(1) = u'''(1) = 0 \quad (3)$$

where k is the non-dimensional parameter for stiffness of the supported end. For very large values of the stiffness parameter, the support act as a rigid wall, and hence, the boundary condition of $u''=ku'(0)$ reduces to the regular boundary condition of $u'(0)=0$.

3. Solution method

Here, the modified Adomian decomposition method, proposed by Duan and Rach [18], is applied to obtain an analytic solution for the nonlinear differential equation of the nanoactuator (Eq. (1)) subject to the prescribed boundary conditions (Eqs. (2) or (3)). This section consists of three parts; in the first part, Eq. (1) will be solved subject to the boundary conditions of Eq. (2) as a common special case. In the second part, Eq. (1) will be solved subject to the boundary conditions of Eq. (3), as a more general case. In the third part, the conventional method of undetermined coefficients will be recalled, and the advantages of the present study will be discussed.

Based on the Adomian decomposition method, the differential equation, Eq. (1), in operator form is written as [18]:

$$Lu = Nu, \quad 0 < x < 1 \quad (4)$$

where $L(\cdot) = d^4/dx^4$ is the linear differential operator to be inverted, and Nu is an analytic nonlinear operator. Here, Nu is the nonlinear part of the differential equation as:

$$Nu = -\frac{\alpha}{(1+\delta)u^3} + \frac{\beta}{(1+\delta)\sinh^2(\xi_0 u)} \left\{ \frac{\phi_2}{\phi_1} \cosh(\xi_0 u) - \frac{1}{2} \left[1 + \left(\frac{\phi_2}{\phi_1} \right)^2 \right] \right\} \quad (5)$$

L^{-1} is the inverse linear operator.

3.1 Cantilever nanoactuator

The governing equation of a cantilever beam immersed in a liquid electrolyte is Eq. (1) which should be solved subject to the boundary conditions of Eq. (2). Attention to the boundary conditions in Eq. (2) shows that $u(0)$, $u'(0)$, $u''(1)$ and $u'''(1)$ are corresponds to function, its first, second and third derivatives, respectively. Hence, based on the new modified Adomian decomposition method [18], the inverse operator, L^{-1} , is selected as:

$$L^{-1}(\cdot) = \int_0^x \int_0^x \int_1^x \int_1^x (\cdot) dx dx dx dx \quad (6)$$

Applying the introduced invers operator to the linear part of the governing equation, Lu , yields:

$$L^{-1}Lu = \int_0^x \int_0^x \int_1^x \int_1^x (u^{(4)}(x)) dx dx dx dx = u(x) - u(0) - xu'(0) - \frac{x^2}{2}u''(1) - \left(\frac{x^3}{6} - \frac{x^2}{2}\right)u'''(1) \quad (7)$$

Using the boundary conditions of Eq. (2), results in $L^{-1}Lu = u(x) - 1$. Applying the inverse operator to the both sides of Eq. (4) gives:

$$u(x) - 1 = L^{-1}Nu \quad (8)$$

It is clear that utilizes all of the boundary conditions were utilized by selecting the inverse operator in the form of Eq. (6); hence, there is not any remaining undetermined coefficient in Eq. (8). Now, following the Adomian method, $u(x)$ and the nonlinearity term of Nu are decomposed to series of Adomian polynomials as:

$$u(x) = \sum_{m=0}^{\infty} u_m(x), \quad Nu = \sum_{m=0}^{\infty} A_m(x) \quad (9)$$

where $A_m = A_m(u_0(x), u_1(x), \dots, u_m(x))$ are the Adomian polynomials which can be evaluated using the Adomian definition formula as [20]:

$$A_m = \frac{1}{m!} \frac{d^m}{d\lambda^m} N \left(\sum_{k=0}^{\infty} u_k \lambda^k \right) \Bigg|_{\lambda=0}, \quad m \geq 0, \quad (10)$$

Substituting the Adomian polynomials in Eq. (8) leads to:

$$\sum_{m=0}^{\infty} u_m(x) = 1 + L^{-1} \sum_{m=0}^{\infty} A_m(x) \quad (11)$$

As the nonlinearity term (Nu) is only a function of u (i.e. assuming $Nu=f(u)$), the five first Adomian polynomials, are easily evaluated as:

$$\begin{aligned}
A_0 &= f(u_0), \\
A_1 &= f'(u_0)u_1, \\
A_2 &= f'(u_0)u_2 + f''(u_0)\frac{u_1^2}{2!}, \\
A_3 &= f'(u_0)u_3 + f''(u_0)u_2 + f'''(u_0)\frac{u_1^3}{3!}, \\
A_4 &= f'(u_0)u_4 + f''(u_0)\left(\frac{u_2^2}{2!} + u_1u_3\right) + f'''(u_0)\frac{u_1^2u_2}{2!} + f^{(4)}(u_0)\frac{u_1^4}{4!},
\end{aligned} \tag{12}$$

where the nonlinearity function was introduced in Eq. (5). Using Eq. (12), three first terms of A_m are evaluated as:

$$A_0 = -\frac{\alpha}{(1+\delta)u_0^3} + \frac{\beta}{(1+\delta)\sinh^2(\xi_0 u_0)} \left\{ \frac{\phi_2}{\phi_1} \cosh(\xi_0 u_0) - \frac{1}{2} \left[1 + \left(\frac{\phi_2}{\phi_1} \right)^2 \right] \right\} \tag{12a}$$

$$A_1 = u_1 \left(\frac{\beta \zeta_0 \frac{\phi_2}{\phi_1}}{(1+\delta)\sinh(\xi_0 u_0)} - \frac{3\alpha}{(1+\delta)u_0^4} - \frac{2\beta \zeta_0 \cosh(\xi_0 u_0) \left(\frac{\phi_2}{\phi_1} \cosh(\xi_0 u_0) - \frac{1}{2} \left(1 + \left(\frac{\phi_2}{\phi_1} \right)^2 \right) \right)}{(1+\delta)\sinh^3(\xi_0 u_0)} \right) \tag{12b}$$

$$\begin{aligned}
A_2 &= -\frac{3u_2\alpha}{(1+\delta)u_0^4} + \frac{u_2\beta\zeta_0\frac{\phi_2}{\phi_1}}{(1+\delta)\sinh(\xi_0 u_0)} \\
&\quad - \frac{2u_2\beta\zeta_0 \cosh(\xi_0 u_0) \left(\frac{\phi_2}{\phi_1} \cosh(\xi_0 u_0) - \frac{1}{2} \left(1 + \left(\frac{\phi_2}{\phi_1} \right)^2 \right) \right)}{(1+\delta)\sinh^3(\xi_0 u_0)} \\
&\quad - \frac{6u_1^2\alpha}{(1+\delta)u_0^5} - \frac{3u_1^2\beta\zeta_0^2\frac{\phi_2}{\phi_1} \cosh(\xi_0 u_0)}{2(1+\delta)\sinh^2(\xi_0 u_0)} \\
&\quad + \frac{3u_1^2\beta\zeta_0^2 \cosh^2(\xi_0 u_0) \left(\frac{\phi_2}{\phi_1} \cosh(\xi_0 u_0) - \frac{1}{2} \left(1 + \left(\frac{\phi_2}{\phi_1} \right)^2 \right) \right)}{(1+\delta)\sinh^3(\xi_0 u_0)} \\
&\quad - \frac{u_1^2\beta\zeta_0^2 \left(\frac{\phi_2}{\phi_1} \cosh(\xi_0 u_0) - \frac{1}{2} \left(1 + \left(\frac{\phi_2}{\phi_1} \right)^2 \right) \right)}{(1+\delta)\sinh^2(\xi_0 u_0)}
\end{aligned} \tag{12c}$$

In order to establish a recursion scheme a new convergence parameter, known as Duan's convergence parameter is utilized [18, 21]. Embedding Duan's parameter, c , in the definition of the zeroth-order and first-order solution

Buckling Analysis of Cantilever Nanoactuators Immersed in an Electrolyte: A Close Form Solution Using Duan-Rach MADM 211 components, e.g. u_0 and u_1 , can significantly modify the solution's convergence properties. Embedding the Duan's parameter, c , and using Eq. (11), the recursion scheme is established as:

$$\begin{aligned} u_0(x) &= c, \\ u_1(x) &= 1 - c + L^{-1}A_0(x) \\ u_{m+1}(x) &= L^{-1}A_m(x), \quad m \geq 0 \end{aligned} \quad (13)$$

The first three Adomian stages are obtained as:

$$u_0(x) = c, \quad (14a)$$

$$u_1(x) = 1 - c + \frac{1}{4}h_1x^2 - \frac{1}{6}h_1x^3 + \frac{1}{24}h_1x^4 \quad (14b)$$

$$u_2(x) = -\frac{1}{24}h_2x^2 \left(-\frac{1}{1680}h_1x^6 + \frac{1}{210}h_1x^5 - \frac{1}{60}h_1x^4 + (-1+c)x^2 + \left(4 + \frac{1}{5}h_1 - 4c\right)x - \frac{13}{30}h_1 + 6c - 6 \right) \quad (14c)$$

$$\begin{aligned} u_3(x) &= \left[\frac{1}{24}h_4 \left(\frac{73}{1890}h_1^2 + \left(-\frac{13}{15}c + \frac{13}{15} \right)h_1 + 6(-1+c^2) \right) + \frac{13}{30}h_3 \left(-1 - \frac{661}{8190}h_1 + c \right) \right] x^2 \\ &+ \left[\frac{1}{24}h_4 \left(-\frac{13}{810}h_1^2 + \frac{2}{5}(c-1)h_1 - 4(c-1)^2 \right) - \frac{1}{5}h_3 \left(c-1 - \frac{13}{162}h_1 \right) \right] x^3 + \frac{1}{24}h_4(c-1)^2 x^4 \\ &+ \left(-\frac{1}{720}h_4(c-1)h_1 + \frac{1}{60}h_3 \left(c-1 - \frac{13}{180}h_1 \right) \right) x^6 + \left(\frac{1}{2520}h_4h_1(c-1) - \frac{1}{210}h_3 \left(c-1 - \frac{1}{20}h_1 \right) \right) x^7 \\ &+ \left(-\frac{1}{20160}h_1h_4 \left(c-1 - \frac{3}{4}h_1 \right) + \frac{1}{1680}h_3(c-1) \right) x^8 - \frac{1}{36288}h_1^2h_4x^9 + \frac{1}{103680}h_1 \left(h_1h_4 - \frac{12}{35}h_3 \right) x^{10} \\ &- \frac{1}{570240}h_1 \left(h_1h_4 - \frac{12}{35}h_3 \right) x^{11} + \frac{1}{6842880}h_1 \left(h_1h_4 - \frac{12}{35}h_3 \right) x^{12} \end{aligned} \quad (14d)$$

where the parameters of h_1-h_4 are facilitated to reduce the manipulation calculations and the representation size of the series. The values of h_1-h_4 are solely functions of non-dimensional parameters of $\alpha, \beta, \zeta_0, \delta, \phi_2/\phi_1$ and Duan's parameter c .

$$h_1 = -\frac{\alpha}{(1+\delta)c^3} - \frac{\beta \left(1 - 2\frac{\phi_1}{\phi_2} \cosh(c\zeta_0) + \left(\frac{\phi_1}{\phi_2} \right)^2 \right)}{2(1+\delta)\sinh^2(c\zeta_0)} \quad (15a)$$

$$h_2 = \frac{3\alpha}{(1+\delta)c^4} + \frac{\beta\zeta_0\frac{\phi_1}{\phi_2}}{\sinh(c\zeta_0)(1+\delta)} - \frac{2\beta \left(\frac{\phi_1}{\phi_2} \cosh(c\zeta_0) - \frac{1}{2} - \frac{1}{2} \left(\frac{\phi_1}{\phi_2} \right)^2 \right) \cosh(c\zeta_0)\zeta_0}{(1+\delta)\sinh^3(c\zeta_0)} \quad (15b)$$

$$h_3 = h_2 \frac{\frac{2}{3}\beta\zeta_0c^4\frac{\phi_1}{\phi_2}\cosh^2(c\zeta_0) - \frac{1}{3}\beta\zeta_0c^4 \left(1 + \left(\frac{\phi_1}{\phi_2} \right)^2 \right) \cosh(c\zeta_0) - \left(\alpha \sinh(c\zeta_0) + \frac{1}{3}\beta\zeta_0c^4\frac{\phi_1}{\phi_2} \right) \sinh^2(c\zeta_0)}{8(1+\delta)c^4\sinh^3(c\zeta_0)} \quad (15c)$$

$$h_4 = \frac{12\alpha \sinh^4(c\zeta_0) + \beta c^5 \zeta_0^2 \left(-5 \frac{\phi_1}{\phi_2} \cosh(c\zeta_0) + 1 + \left(\frac{\phi_1}{\phi_2} \right)^2 \right) \sinh^2(c\zeta_0)}{2(1+\delta)c^5 \sinh^4(c\zeta_0)} - \frac{-3\beta c^5 \zeta_0^2 \cosh^2(c\zeta_0) \left(-2 \frac{\phi_1}{\phi_2} \cosh(c\zeta_0) + 1 + \left(\frac{\phi_1}{\phi_2} \right)^2 \right)}{2(1+\delta)c^5 \sinh^4(c\zeta_0)} \tag{15d}$$

Finally, the *m*-th stage solution approximants is evaluated as $\phi_m(x)=u_0+u_1+u_2+u_3+\dots+u_m$. It is worth noticing that assuming $c=1$ eliminates the effect of Duan’s parameter and reduces the present solution to the results of the Duan-Rach modified Adomian decomposition method without using Duan’s parameter. Since there is not any exact solution available for the deflection of the nanoactuator, the error of the solution can be evaluated using its reminder. The reminder $R(x)$ can be evaluated by substituting the approximate solution ($\phi_m(x)$) in the governing equation:

$$R(x) = \frac{d^4 \phi_m}{dx^4} + \frac{\alpha}{(1+\delta)\phi_m^3} - \frac{\beta}{(1+\delta)\sinh^2(\xi_0 \phi_m)} \left\{ \frac{\phi_2}{\phi_1} \cosh(\xi_0 \phi_m) - \frac{1}{2} \left[1 + \left(\frac{\phi_2}{\phi_1} \right)^2 \right] \right\} \tag{16}$$

If ϕ_m be the exact solution, the reminder $R(x)$ is zero. The non-zero values of $R(x)$ shows the error of the approximation solution. The maximum error can be evaluated using:

$$MaxErr = Max |R(x)| \tag{17}$$

Considering a typical case of nanoactuator with $\alpha=1, \beta=1, \zeta_0=1, \phi_2/\phi_1=0.1$ and $\delta=0.5$, adopted by Noghrehabadi et al. [8], the values of $R(x)$ and $MaxErr$ for different values of Duan’s parameter c are evaluated and plotted in Figs. 1 and 2, respectively. Fig. 1 shows that $c=0.9$ provides less reminder error over the length of the beam. Fig. 2 in confirmation with Fig. 1 shows that for ϕ_2 there is an optimum value of c around 0.92. It is interesting that the case of ϕ_2 (using the optimum value of c in) can provide the same reminder error as that of ϕ_3 and ϕ_4 (without using Duan’s constant (i.e. $c=1$)).




Fig. 1. Variation of the error reminder ($R(x)$) over the length of the nanoactuator for selected values of Duan’s parameter for $\phi_2(x)$ when $\alpha=1, \beta=1, \zeta_0=1, \phi_2/\phi_1=0.1$ and $\delta=0.5$.

A comparison between the evaluated tip deflections of the nanoactuator (i.e. $u_{tip}=u(1)$) using the results of the present study and the results of a Finite Element Method (FEM) as well as a ADM [8] is performed in Table 1. Furthermore, the tip deflection of the nanoactuator for selected values of c and different stages of the Adomian series is shown in Table 1. The results of this table show that the accuracy of the solution increases as the number of stages increases. The results of Table 1 in agreement with the results of Figs. 1 and 2 show that for c around 0.9 the difference between the evaluated tip deflection using present method and results of FDM is very small. Indeed, the

Table 1. Tip deflection of a cantilever nanoactuator when $\alpha=1, \beta=1, \zeta_0=1, \phi_2/\phi_1=0.1$ and $\delta=0.5$.

c	ϕ_1	ϕ_2	ϕ_3	ϕ_4	ϕ_5
0.85	0.16912	0.14625	0.14151	0.14004	0.13994
0.9	0.14292	0.13996	0.14016	0.14014	0.14015
0.95	0.12176	0.13312	0.13725	0.13885	0.13953
1.0	0.10449	0.12591	0.13347	0.13674	0.13832
1.05	0.09025	0.11853	0.12921	0.13413	0.13666
ADM [8]	-	-	-	0.13916	0.14008
FEM [8]			0.14014		




Fig. 2. Maximum value of remainder (MaxErr) as a function of Duan's parameter (c) for different stages of Adomian polynomials when $\alpha=1, \beta=1, \zeta_0=1, \phi_2/\phi_1=0.1$ and $\delta=0.5$.

It is clear that the presence of an appropriate value of Duan's parameter would significantly increase the convergence rate of the series solution. The Duan's parameter is very useful to increase the resolution of the solution with few stages of the Adomian polynomials to make a very compact robust solution for a specified nanoactuator.

3.2 Simply Supported (SS) nanoactuator

The boundary conditions in the case of simply supported nanoactuator are represented by Eq. (3). As seen in this case, the second derivative of the deflection is related to the slope of the beam through the non-dimensional spring constant k at the bending end (i.e. $u''(0)=ku'(0)$). This is an implicit boundary condition which neither in the original method of new Duan-Rach ADM [18] nor in the extended work of Duan et al. [19] has been discussed. However, using the idea of the Duan-Rach ADM [18] it is clear that the undetermined boundary conditions should be evaluated using all of the boundary conditions and by introducing a proper inverse operator. Then, the recursive scheme can be initiated. In Eq. (3), two of the boundary conditions are given in second and third derivatives at the natural end (i.e. $u''(1)=0$ and $u'''(1)=0$), another boundary condition is related to the function at the bending end (i.e. $u(0)=1$), and the remaining boundary condition is related to the first and second derivatives at the bending end ($u'(0)=ku'(0)$). Hence, the Adomian operator L^{-1} is introduced the same as the cantilever case in Eq. (6). Applying the inverse operator to the linear part of the governing equation (Eq. (1)) results the same equation as Eq. (7). Now, applying the inverse operator on the both sides of Eq. (4) and using the three available explicit boundary conditions (i.e. $u''(1)=0, u'''(1)=0$ and $u(0)=1$) results:

$$u(x) - 1 - xu'(0) = L^{-1}Nu \tag{18}$$

As there is not any available explicit boundary condition for $u'(0)$ to be substituted in Eq. (8), we try to find this boundary condition with the aid of the remaining unused boundary condition (i.e. $u''(0)=k.u'(0)$). Differentiating Eq. (8) twice yields:

$$u''(x) = \int_1^x \int_1^x Nu \, dx \, dx \tag{19}$$

where substituting $x=0$ leads to:

$$u''(0) = \int_1^0 \int_1^x Nu \, dx dx \tag{20}$$

Now, using the remaining boundary condition, (i.e. $u''(0)=ku'(0)$) and Eq. (20), the unknown value of $u'(0)$ is obtained as:

$$u'(0) = \frac{1}{k} \int_1^0 \int_1^x Nu \, dx dx \tag{21}$$

substituting Eq. (21) in Eq. (18) yields:

$$u(x) = 1 + x \frac{1}{k} \int_1^0 \int_1^x Nu \, dx dx + L^{-1}Nu \tag{22}$$

As seen, there is not any remaining undetermined coefficient in Eq. (8). Using Eq. (8) and utilizing the Duan's parameter, the recursive scheme is established as:

$$\begin{aligned} u_0(x) &= c, \\ u_1(x) &= 1 - c + x \frac{1}{k} \int_1^0 \int_1^x A_0(x) \, dx dx + L^{-1}A_0(x) \\ u_{m+1}(x) &= x \frac{1}{k} \int_1^0 \int_1^x A_m(x) \, dx dx + L^{-1}A_m(x), \quad m \geq 0 \end{aligned} \tag{23}$$

Applying the recursive scheme and utilizing Eqs. (12) for nonlinearity terms, the Adomian polynomials of Eq. (1) subject to boundary conditions of Eq. (3) are obtained as follows:

$$u_0(x) = c, \tag{24a}$$

$$u_1(x) = 1 - c + \frac{q_1}{2k}x + \frac{q_1}{4}x^2 - \frac{q_1}{6}x^3 + \frac{q_1}{24}x^4, \tag{24b}$$

$$\begin{aligned} u_2(x) &= -\frac{1}{360k}q_2(60q_1 + 180k(1-c) + 13kq_1)x - \frac{1}{40320}q_2(3360q_1 + 10080k(1-c) + 728kq_1)x^2 \\ &+ \frac{1}{40320}q_2(1680q_1 + 6720k(1-c) + 336kq_1)x^3 - \frac{1680}{40320}kq_2(1-c)x^4 \\ &- \frac{1}{240}q_2q_1x^5 - \frac{1}{1440}kq_1q_2x^6 + \frac{1}{5040}kq_1q_2x^7 - \frac{1}{40320}kq_1q_2x^8 \end{aligned} \tag{24c}$$

where q_1 and q_2 are independent of variable x as:

$$q_1 = \frac{\alpha}{c^3(1+\delta)} - \frac{\beta \left(1 - 2 \cosh(c\zeta_0) \frac{\phi_1}{\phi_2} + \left(\frac{\phi_1}{\phi_2} \right)^2 \right)}{2 \sinh^2(c\zeta_0)(1+\delta)} \tag{25a}$$

$$q_2 = \frac{2\beta c^4 \zeta_0 \frac{\phi_1}{\phi_2} \cosh^2(c\zeta_0) - \beta c^4 \zeta_0 \left(1 + \left(\frac{\phi_1}{\phi_2} \right)^2 \right) \cosh(c\zeta_0) - \beta c^4 \zeta_0 \frac{\phi_1}{\phi_2} \sinh^2(c\zeta_0) - 3\alpha \sinh^3(c\zeta_0)}{kc^4(1+\delta) \sinh^3(c\zeta_0)} \tag{25b}$$

The reminder of the solution, $R(x)$, can be evaluated using Eq. (17). The reminder over the length of the beam ($R(x)$) and the maximum reminder ($MaxErr$) for a typical simply supported nanoactuator beam with $\alpha=1$, $\beta=1$, $\zeta_0=1$, $\phi_2/\phi_1=0.1$, $\delta=0.5$ and $k=30$, adopted by Noghrehabadi et al. [8], is plotted in Figs. 3 and 4, respectively. Fig.3 shows the distribution of $R(x)$ over the length of the beam, evaluated using two stages of ADM ($\phi_2(x)$), for selected values of Duan's parameter. As seen, the reminder $R(x)$ is comparatively uniform and small in the case of $c=0.9$. The variation of the maximum reminder for different stages of ADM and selected values of c is depicted in Fig. 4. There is an optimum value of c around 0.9 in the case of ϕ_2 , but the optimum value of Duan's parameter (c) shifts to the values smoothly lower than 0.9 in the cases of three and four stages of ADM (i.e. ϕ_3 and ϕ_4). The vertical line in Fig. 4 indicates the constant line of $c=1$, which is the case of simple Duan-Rach ADM without using the Duan's parameter. It is clear that the optimum value of Duan's parameter, $c \approx 0.9$ is capable of declining the maximum reminder (error) of the two stage solution (ϕ_2) to the values lower than that of the four stage solution, evaluated without using Duan's parameter (i.e. ϕ_4 when $c=1$).




Fig. 3. Variation of the error reminder ($R(x)$) over the length of a SS nanoactuator for selected values of Duan's parameter for $\phi_2(x)$ when $\alpha=1$, $\beta=1$, $\zeta_0=1$, $\phi_2/\phi_1=0.1$, $\delta=0.5$ and $k=30$.




Fig. 4. Maximum value of reminder ($MaxErr$) of a SS nanoactuators as a function of Duan's parameter (c) for different stages of Adomian polynomials when $\alpha=1$, $\beta=1$, $\zeta_0=1$, $\phi_2/\phi_1=0.1$, $\delta=0.5$ and $k=30$.

The tip deflection of the nanoactuator, evaluated using different series sizes of Duan-Rach ADM and selected values of Duan's parameter, are shown in Table 2. A comparison between the results of the present study and the results of FEM and Waswaz-ADM [8] is performed in Table 2. The results show that there is an excellent agreement between the present results and the literature. Comparison between the evaluated tip deflection using FEM and the present results shows that the increase of Adomian stages increases the accuracy of the solution. In agreement with Fig. 4, the tip deflections evaluated using $c=0.9$ are remarkably accurate.

Table 2. Tip deflection of a SS cantilever nanoactuator when $\alpha=1, \beta=1, \zeta_0=1, \phi_2/\phi_1=0.1, \delta=0.5$ and $k=30$.

c	ϕ_1	ϕ_2	ϕ_3	ϕ_4	ϕ_5
0.85	0.19167	0.17556	0.17235	0.17069	0.17018
0.9	0.16197	0.16527	0.16803	0.16910	0.16959
0.95	0.13000	0.15548	0.16273	0.16608	0.16779
1.0	0.11843	0.14594	0.15696	0.16235	0.16530
1.05	0.10229	0.13666	0.15096	0.15824	0.16239
MAD [8]	-	-	-	0.16763	0.16983
FEM [8]			0.17004		

3.3 Method of Undetermined Coefficients

In the method of undetermined coefficients, the inverse operator is defined in one initial point as $L^{-1}(\cdot) = \int_0^x \int_0^x \int_0^x (\cdot) dx dx dx$. Applying the inverse operator to the governing equation yields:

$$u(x) = u(0) + xu'(0) + \frac{x^2}{2}u''(0) + \frac{x^3}{6}u'''(0) + L^{-1}Nu \tag{26}$$

As the values of $u''(0)$ and $u'''(0)$ are unknown, the above equation is written as

$$u(x) = u(0) + xu'(0) + \frac{x^2}{2}C_1 + \frac{x^3}{6}C_2 + L^{-1}Nu \tag{27}$$

where $u(0)=1$ and $u'(0)=0$, and C_1 and C_2 are the undetermined constant coefficients. The recursive scheme including undetermined parameters of C_1 and C_2 is written as [22]:

$$u_0(x) = 1 \tag{28a}$$

$$u_1(x) = \frac{x^2}{2}C_1 + \frac{x^3}{6}C_2 + L^{-1}A_0 \tag{28b}$$

$$u_{m+1}(x) = L^{-1}A_m \tag{28c}$$

The values of C_1 and C_2 should be determined later using the remaining boundary conditions, i.e. $u''(1)=0$ and $u'''(1)=0$. In the method of undetermined coefficients, evaluating C_1 and C_2 leads to a system of algebraic equations. For example, the case of the cantilever beam with $\alpha=1, \beta=1, \zeta_0=1, \phi_2/\phi_1=0.1$ and $\delta=0.5$ and considering five stages of ADM (i.e. ϕ_5) leads to the following system of algebraic equations, which should be solved simultaneously for C_1 and C_2 :

$$\begin{aligned} & -0.0078825C_1^4 + (0.0189910 - 0.0085991C_2)C_1^3 \\ & + (0.0148533C_2 - 0.0427404 - 0.0035830C_2^2)C_1^2 \\ & + (1.107494590 - 0.0006737C_2^3 - 0.0204993C_2 + 0.0039787C_2^2)C_1 \\ & + 0.0003630C_2^3 + 1.021671283C_2 - 0.4209466244 - 0.0000481C_2^4 - 0.0025773C_2^2 = 0 \end{aligned} \tag{29a}$$

$$\begin{aligned} & -0.0788252C_1^4 + (0.1586500 - 0.0945903C_2)C_1^3 \\ & + (0.1392384C_2 - 0.2673374 - 0.0429956C_2^2)C_1^2 \\ & + (0.443588 - 0.0087584C_2^3 - 0.1493122C_2 + 0.0413410C_2^2)C_1 \\ & + 0.0041396C_2^3 + 1.1118036C_2 - 0.8540645 - 0.0006737C_2^4 - 0.0214097C_2^2 = 0 \end{aligned} \tag{29b}$$

The coefficients of C_1 and C_2 are a function of non-dimensional parameters of $\alpha, \beta, \zeta_0, \phi_2/\phi_1, \delta$. In addition, in the case of SS nanoactuator they are also a function of stiffness parameter k . Thus, Eqs. (29a) and (29b) should be solved for each combination of the non-dimensional parameters. Hence, obtaining an explicit relation for buckling of

Buckling Analysis of Cantilever Nanoactuators Immersed in an Electrolyte: A Close Form Solution Using Duan-Rach MADM 217 nanoactuators is not possible using the method of undetermined coefficients. It is clear that using the new Duan-Rach ADM obtaining an explicate relation is possible because there is not any undetermined coefficient in the obtained solution or the recursive scheme. The new Duan-Rach ADM method facilitates simple explicit relations between behavior of the nanoactuator and non-dimensional parameters. For example, consider a cantilever nanoactuator with prescribed non-dimensional values of $\zeta_0=1$, $\phi_2/\phi_1=0.1$ and $\delta=0.5$. If an engineer needs to know the behavior of the tip deflection (u_{tip}) of the actuator as a simultaneous function of the non-dimensional van der Waals parameter (α) and the non-dimensional electrochemical parameter (β), such a relation using two stages of Duan-Rach ADM method (i.e. ϕ_2 and $c=0.9$) is obtained as:

$$u_{tip}(\alpha, \beta) = 1.0 - 0.028554\alpha^2 + (-0.013738\beta - 0.076208)\alpha - 0.00165\beta^2 - 0.019806\beta \quad (30)$$

or considering a more special case with $\alpha=1$ reduces Eq. (30) to:

$$u_{tip} = 0.895238 - 0.033544\beta - 0.001650\beta^2 \quad (31)$$

Eq. (30) shows the variation of u_{tip} as a function of the electrochemical parameter (β) for the mentioned nanoactuator when is α also prescribed. Such direct relations are crucial for design of nano sensors and sensing applications. For instance, consider a case in which the mentioned cantilever nanoactuator (i.e. $\alpha=1$, $\zeta_0=1$, $\phi_2/\phi_1=0.1$ and $\delta=0.5$) is utilized as a sensor for detecting the electrochemical potential of an electrolyte liquid (β). Assume that the tip deflection of the nanoactuator is found to be 0.8526 (i.e. $y_{tip}=0.8526$) in an experiment and after immersing the nanoactuator in a liquid. In order to obtain the unknown value of the electrochemical parameter (β), Eq. (31) can be easily utilized. Substitution 0.8526 for u_{tip} in Eq. (31) and solving for β leads to $\beta=-21.53$ and $\beta=1.20$. It is clear that negative values of β are with no physical meaning, and hence, the non-dimensional electrochemical parameter of the electrolyte is 1.2.

Considering five stages of Duan-Rach ADM method (i.e. ϕ_5 and $c=0.9$) for the mentioned nanoactuator (i.e. $\alpha=1$, $\zeta_0=1$, $\phi_2/\phi_1=0.1$ and $\delta=0.5$) simply results in:

$$u_{tip}(\beta) = 0.8971843 - 4.200829 \times 10^{(-7)} \beta^5 - 0.1349953 \times 10^{-4} \beta^4 - 0.2093700 \times 10^{-3} \beta^3 - 0.2368345 \times 10^{-2} \beta^2 - 0.0329105 \beta \quad (32)$$

This is while the ADM method with undetermined coefficients, for the same nanoactuator, results in the following equation:

$$\begin{aligned} u_{tip}(\beta) = & -3.211405 \times 10^{-14} \beta^5 + (1.539774 \times 10^{-11} C_1 - 1.007992 \times 10^{-11} + 3.794155 \times 10^{-12} C_2) \beta^4 \\ & + \left(-2.784431 \times 10^{-9} C_1^2 + (-1.3528511 \times 10^{-9} C_2 + 4.1051879 \times 10^{-9}) C_1 \right) \beta^3 \\ & + \left((2.266666 \times 10^{-7} C_1^3 + (1.6186686 \times 10^{-7} C_2 - 5.7968076 \times 10^{-7}) C_1^2 \right. \\ & \left. + (3.9449818 \times 10^{-8} C_2^2 - 2.6126348 \times 10^{-7} C_2 + 0.12689219 \times 10^{-5}) C_1 \right. \\ & \left. + 2.6192449 \times 10^{-7} C_2 - 3.0392996 \times 10^{-8} C_2^2 + 3.2710407 \times 10^{-9} C_2^3 - 0.21504976 \times 10^{-5} \right) \beta^2 \\ & + \left((-0.7106659 \times 10^{-5} C_1^4 + (0.29529811 \times 10^{-4} - 0.65599910 \times 10^{-5} C_2) C_1^3 \right. \\ & \left. + (-0.12727611 \times 10^{-3} + 0.18993713 \times 10^{-4} C_2 - 0.23428539 \times 10^{-5} C_2^2) C_1^2 \right. \\ & \left. + (0.70711740 \times 10^{-3} - 0.47585197 \times 10^{-4} C_2 + 0.42610086 \times 10^{-5} C_2^2 - 3.8179841 \times 10^{-7} C_2^3) C_1 \right. \\ & \left. - 2.3862401 \times 10^{-8} (C_2^2 + 23.747528 C_2 + 492.97766) \times (C_2^2 - 37.598701 C_2 + 601.02897) \right) \beta \\ & - 0.52609428 \times 10^{-4} C_1^4 + (0.17181617 \times 10^{-3} - 0.48562549 \times 10^{-4} C_2) C_1^3 \\ & + (-0.17343768 \times 10^{-4} C_2^2 - 0.60827510 \times 10^{-3} + 0.10985922 \times 10^{-3} C_2) C_1^2 \\ & + (-0.22634039 \times 10^{-3} C_2 - 0.28263917 \times 10^{-5} C_2^3 + 0.24517296 \times 10^{-4} C_2^2 + 0.50280129) C_1 \\ & + 0.97218888 + 0.18931067 \times 10^{-5} C_2^3 + 0.016706835 C_2 - 0.22731018 \times 10^{-4} C_2^2 - 1.7664948 \times 10^{-7} C_2^4 \quad (33) \end{aligned}$$

It is worth noticing that evaluating the chemical parameter (β) of the mentioned electrolyte liquid, using the ADM with undetermined coefficients, leads to a set of three nonlinear algebraic equations, one for β (Eq. 33) and two for the undetermined coefficients of C_1 and C_2 (similar to Eqs. (28a) and (28b) but including β as a variable in the coefficients). Solving such a nonlinear set of algebraic equations is tedious. However, using the new Duan-Rach

ADM method solely Eq. (32) is required to be solved for β . It is clear that evaluating more complicated measurements including two unknown parameters (for example ζ_0 and β) in a set of measurements (at least two different measurements) is more conveniently possible using the Duan-Rach ADM method.

4. Conclusion

The Duan-Rach modified Adomian decomposition method is successfully applied to obtain an explicate solution for the buckling of nanoactuators in liquid electrolytes for two cases of cantilever beams and simply supported beams. The new modified Adomian decomposition method avoids undetermined coefficients and results in a fully explicate solution. The Duan's parameter is embedded into the ADM to accelerate the solution convergence. The results are compared with the ADM of undetermined coefficients and the numerical solution of FEM available in the literature and found in excellent agreement. The error of the series solution is evaluated using its reminder. The results show that the increase of the series size increases the accuracy of the solution. It is also found that using the proper value of Duan's parameter can significantly accelerate the convergence of the solution. The explicate solution obtained by the new ADM approach provides convenience analytical relations for the behavior of the nanoactuator as a function of different affective parameters.

Acknowledgements

The present work was performed as a research task by the financial support of Dezful Branch, Islamic Azad University, Dezful, Iran.

References

- [1] Martin, O. Gouttenoire, V. Villard, P. Arcamone, J. Petitjean, M. Billiot, G., G., Philippe, J., Puget, P., Andreucci, P., Ricoul, F. and Dupré, C., "Modeling and design of a fully integrated gas analyzer using a μ GC and NEMS sensors", *Sensors and Actuators B: Chemical*, Vol. 194, pp.220-8, 2014.
- [2] Józwiak, G. Kopiec, D. Zawierucha, P. Gotszalk, T. Janus, P. Grabiec, P., and , and Rangelow, I. W., "The spring constant calibration of the piezoresistive cantilever based biosensor", *Sensors and Actuators B: Chemical*, Vol. 170, pp. 201-206, 2012.
- [3] Ekinci, K. L. and Roukes, M. L., "Nanoelectromechanical systems", *Review of Scientific Instruments*, Vol. 76, No.6, 061101, 2005.
- [4] Guthy, C., Belov, M. Janzen, A. Quitariano, N. J. Singh, A. Guthy, C., Belov, M., Janzen, A., Quitariano, N.J., Singh, A., Wright, V.A., Finley, E., Kamins, T.I. and Evoy, S., "Large-scale arrays of nanomechanical sensors for biomolecular fingerprinting. *Sensors and Actuators B*" *Chemical*, Vol. 187, pp. 111-117, 2013.
- [5] Choi, W.Y., Osabe, T., and Liu, T. J. K., "Nano-electro-mechanical nonvolatile memory (NEMory) cell design and scaling, *Electron Devices*" *IEEE Transactions on*, Vol. 55, No.2, pp. 3482-3488, 2008.
- [6] Dumas, N., Trigona, C. Pons, P. Latorre, L., and Nouet, P., "Design of smart drivers for electrostatic MEMS switches", *Sensors and Actuators A: Physical*, Vol. 167, pp. 422-432, 2011.
- [7] Boyd, J. G., and Kim, D., "Nanoscale electrostatic actuators in liquid electrolytes", *Journal of colloid and interface science*, Vol. 301, No. 2, pp. 542-548, 2006.
- [8] Noghrhabadi, A., Eslami, M., and Ghalambaz, M., "Influence of size effect and elastic boundary condition on the pull-in instability of nano-scale cantilever beams immersed in liquid electrolytes", *International Journal of Non-Linear Mechanics*, Vol. 52, pp. 73-84, 2013.
- [9] Boyd, J. G. and Lee, J., "Deflection and pull-in instability of nanoscale beams in liquid electrolytes", *Journal of colloid and interface science*, Vol. 356, pp. 387-94, 2011.
- [10] Wazwaz, A. M., "The numerical solution of sixth-order boundary value problems by the modified decomposition method", *Applied Mathematics and Computation*, Vol.118, pp. 311-325, 2001.
- [11] Alam, M. K., Rahim, M. T., Avital, E. J., Islam, S., Siddiqui, A. M., & Williams, J. J. R., "Solution of the steady thin film flow of non-Newtonian fluid on vertical cylinder using Adomian Decomposition Method", *Journal of the Franklin Institute*, Vol. 350, No. 4, pp. 818-839, 2013.
- [12] Koochi, A., Kazemi, A. S., Tadi Beni, Y., Yekrangi, A., and Abadyan, M., "Theoretical study of the effect of Casimir attraction on the pull-in behavior of beam-type NEMS using modified Adomian method. *Physica*", E: Low-dimensional Systems and Nanostructures, Vol. 43, No. 2, pp. 625-632, 2010.
- [13] Koochi, A. L. I., Hosseini-Toudeshky, H. Ovesy, H. R., and Abadyan, M., "Modeling the Influence of Surface Effect on Instability of Nano-Cantilever in Presence of Van Der Waals Force", *International Journal of Structural Stability and Dynamics*, Vol. 13, pp. 1250072, 2013.
- [14] Soroush, R. Koochi, A. L. I. Kazemi, A. S., and Abadyan, M., "Modeling the Effect of Van Der Waals Attraction on the Instability of Electrostatic Cantilever and Doubly-Supported Nano-Beams Using Modified Adomian Method", *International Journal of Structural Stability and Dynamics*, Vol. 12, 1250036, 2012.
- [15] Kuang, J. H., and Chen, C. J., "Adomian decomposition method used for solving nonlinear pull-in behavior in electrostatic micro-actuators", *Mathematical and Computer Modelling*, Vol. 41, pp. 1479-1491, 2005.

- [16] Koochi, A. Kazemi, A. S. Noghrehabadi, A. Yekrangi, A., and Abadyan, M., "New approach to model the buckling and stable length of multi walled carbon nanotube probes near graphite sheets", *Materials & Design*, Vol. 32, 2949-2955, 2011.
- [17] Noghrehabadi, A., Ghalambaz, M., and Ghanbarzadeh, A., "A new approach to the electrostatic pull-in instability of nanocantilever actuators using the ADM-Padé technique", *Computers & Mathematics with Applications*, Vol. 64, pp. 2806-2815, 2012.
- [18] Duan, J. S. and Rach, R., "A new modification of the Adomian decomposition method for solving boundary value problems for higher order nonlinear differential equations", *Applied Mathematics and Computation*, Vol. 218, pp. 4090-41118, 2011.
- [19] Duan, J. S., Rach, R., Wazwaz, A. M., Chaolu, T., and Wang, Z., "A new modified Adomian decomposition method and its multistage form for solving nonlinear boundary value problems with Robin boundary conditions", *Applied Mathematical Modelling*, Vol. 37, pp. 8687-8708, 2013.
- [20] Adomian, G. and Rach, R., "Inversion of nonlinear stochastic operators", *J Math Anal Appl*, Vol. 91, pp. 39-46, 1983.
- [21] Duan, J. S., Rach, R., and Wang, Z., "On the effective region of convergence of the decomposition series solution", *Journal of Algorithms & Computational Technology*, Vol. 7, pp. 227-248, 2013.
- [22] Yazdanpanahi, E., Noghrehabadi, A., and Ghalambaz, M., "Pull-in instability of electrostatic doubly clamped nano actuators: Introduction of a balanced liquid layer (BLL)", *International Journal of Non-Linear Mechanics*, Vol. 58, pp. 128-138, 2014.